

CareLiAll
High Pressure Washer

CareLiAll
High Pressure Washer

Parent company : Qianxi Group Co.,Ltd.

Market subsidiary : Yongkang Zhong You Supply Chain Management Co., Ltd.

Production subsidiary : Zhejiang Gele Cleaning Equipment co., Ltd.



www.qianxigroup.ltd



2019.7 V1

www.qianxigroup.ltd

Parent company : Qianxi Group Co.,Ltd.

Market subsidiary : Yongkang Zhong You Supply Chain Management Co., Ltd.

Production subsidiary : Zhejiang Gele Cleaning Equipment co., Ltd.

Qianxi Group Co., Ltd which was established in 2004 with 15 year of developing, we extend business from manufacture to financial investment, to biological medicine developing etc.

Milestone in development:

In 2004

Subsidiary **Zhejiang Qianxi Vehicle Co., Ltd.** set up.
Main products electric scooter, wheelchair.

In 2010

Subsidiary **Zhejiang Zhejiang Qianxilong Special fiber Co., Ltd.** set up.
Main products UHMWPE fiber, cut resistant gloves, fishing line etc.

In 2011

Subsidiary **Zhejiang Qianxi New Energy Co., Ltd.** set up.
Main products solar road lamp.

In 2014

Subsidiary **Changxing Zhongke hardware Machinery City Development Co., Ltd.** set up.

In 2017

Subsidiary **Yongkang Longkui New Material., Ltd.** set up.
Main products are bullet proof hamlet, bullet proof vest, bullet proof coat.

In 2018

Subsidiary **Zhejiang Gele Cleaning Equipment Co., Ltd.** set up.
Main products high pressure wash machine.

In 2019

Subsidiary **Yongkang Zhong You Supply Chain Management Co.,Ltd.** undertake the tasks of exporting **Qianxi Group Co.,Ltd.** subsidiary companies' product abroad the world. Let all customers around the world have the chance to use our products.

Company Brief Introduction

Welcome to Qianxi Group Co.,Ltd



Regarding to it's manufacture business:

We are the leading manufacture of **electric scooter** in China since 2004. With countless honors of our brand name "fly brother"

We involved into new energy product research and production since 2015. Mainly in **solar road lamps** field.

We are the third biggest manufacture of the **UHMWPE fiber** in China since 2010. Which product can be used in various fields such as cutting resistant gloves, UD fabric, bulletproof helmet, bulletproof Vest, mooring rope etc.

Till now, above 3 fields of products have been well sold over 50 countries and regions.

At the beginning of 2018, we have involved into **high pressure washer machine** manufacture, till the end of 2018, we have been the top1 brand in China ecommerce field base on our successful internet market operation experience. Base on such top speed development, our high-pressure wash machine starts to enter the international market since 2019.

Qianxi Group's confidence and the faith-not only deriving from the perseverance of the professionalization in the last 15 years. But also come from the continuous leading dominance in the field of "MADE IN China" Efficiently expanding and unremitting R&D. We keep investing in the R&D with more than 7 million dollars every year.

Qianxi Group applies the differentiation strategy. Employs the international high-qualified talents of design to exploit the products according to the applicability of the specific markets.

Remarkable quality and people oriented. The high-quality products of Qianxi Group come from the high-quality staff, especially the production line workers. We deeply understand the importance of the people-oriented.

It provides the staff with the unique and characteristic "major training" regularly by perfectly integrating. Combine the boring technical training and the interested cultural entertainment together, in order to obtain improved operational skill followed by the improvement of the comprehensive quality.

Product usage scenarios and uses



Cleaning car



Cleaning step



Cleaning road



Cleaning wall



Cleaning stall




Cleaning bicycle



Water the lawn



Sludge removal



Cleaning the rooftop



Chassis cleaning



Wall cleaning



Moss cleaning



Surface cleaning



Yard cleaning



Rust removal



Extinguishing

CareUAll

High Pressure Washer



Product list

CareU All

High Pressure Washer



Parent company : Qianxi Group Co.,Ltd.

Market subsidiary : Yongkang Zhong You Supply Chain Management Co., Ltd.

Production subsidiary : Zhejiang Gele Cleaning Equipment co., Ltd.

P-01



Model: ZY-G1A
Model: ZY-G1B
Model: ZY-G1C

P-02



Model: ZY-C2-A
Model: ZY-C2-B
Model: ZY-C2-C

P-03/04



Model: ZY-C5-A

P-05/07



Model: GL-C1A
Model: GL-C2-A

P-08



Model: GL-X1B

P-09



Model: GL-X3-A

P-10



Model: GL-X3-B

P-11



Model: GL-X6-A

ODM project: Compatible with DC and AC electric power supply at mean time

DC 36V/5AH lithium battery (Replicable with your own battery set)

Direct driven motor & Brushless motor
Optional



Model: ZY-G1-A

9Mpa Max / 90bar Max
1305psi Max
360L/H Max 900W



Model: ZY-G1-B

9Mpa Max / 90bar Max
1305psi Max
360L/H Max 900W



Model: ZY-G1-C

9Mpa Max / 90bar Max
1305psi Max
360L/H Max 900W



High pressure pipe length optional



Inlet pipe

High pressure pipe

With rear wheel

With universal wheel and detent

More data:

ZY-G1-A

ZY-G1-B

ZY-G1-C

Rated Pressure:	7Mpa/70bar/1015psi	7Mpa/70bar/1015psi	7Mpa/70bar/1015psi
Max influent pressure:	0.7Mpa/7bar/102psi	0.7Mpa/7bar/102psi	0.7Mpa/7bar/102psi
Max influent water temperature :	0°C~40°C	0°C~40°C	0°C~40°C
Rated Flow:	5L/Min	5L/Min	5L/Min
Motor type:	Direct driven motor/ Brushless motor	Stator coil Material: Copper wire	Waterproof classification of machine: IPX5
Container loading reference:			
Packing size:	43*32*72.5cm	43*37*72.5cm	45*38.5*78cm
20GP/40GP/40HQ:	273 Sets/588 Sets/672 Sets	273 Sets/588 Sets/672 Sets	234 Sets/468 Sets/468 Sets



Model: ZY-C2-A

12Mpa Max / 120bar Max
1740psi Max
480L/H Max 1500W



Model: ZY-C2-B

12Mpa Max / 120bar Max
1740psi Max
480L/H Max 1500W



Model: ZY-C2-C

12Mpa Max / 120bar Max
1740psi Max
480L/H Max 1500W



High pressure pipe length optional



High pressure pipe
easy storage wheel

With long handle
and storage hook

With rear wheel

Water intake

More data:

ZY-C2-A

ZY-C2-B

ZY-C2-C

Rated Pressure:	8Mpa/80bar/1160psi	8Mpa/80bar/1160psi	8Mpa/80bar/1160psi
Max influent pressure:	0.7Mpa/7bar/102psi	0.7Mpa/7bar/102psi	0.7Mpa/7bar/102psi
Max influent water temperature:	0°C~40°C	0°C~40°C	0°C~40°C
Rated Flow:	6L/Min	6L/Min	6L/Min
Motor type:	String motor	Stator coil Material: Aluminium wire/Copper wire	Waterproof classification of machine: IPX5
Container loading reference:			
Packing size:	• With 2M water inlet pipe 33*30*45cm	• 5M Built-in steel wire high pressure pipe 33*30*70cm	33*30*70cm
20GP/40GP/40HQ:	597 Sets/1206 Sets/1512 Sets	357 Sets/756 Sets/ 864 Sets	357 Sets/756 Sets/ 864 Sets

Induction motor and String motor
Optional



Obtained EU UK CHINA certificate of design



High pressure pipe length optional

High pressure pipe easy storage wheel

Model: ZY-C5-A

14Mpa Max / 140bar Max / 2030psi Max
510L/H Max
2300W

With rear wheel

More data:

	ZY-C5-A
Rated Pressure:	12Mpa/120bar/1740psi
Max influent pressure:	0.7Mpa/7bar/102psi
Max influent water temperature :	0°C~40°C
Rated Flow:	7L/Min
Motor type:	Induction Motor/String motor
Stator coil Material:	Aluminium wire/Copper wire
Waterproof classification of machine:	IPX5
Container loading reference:	<ul style="list-style-type: none"> • With 2M water inlet pipe • 5M Built-in steel wire high pressure pipe
Color box size:	42*37*76.5cm
20GP/40GP/40HQ:	252 Sets/504 Sets/588 Sets

CareUAll

High Pressure Washer





Model: GL-C1-A

8Mpa Max / 80bar Max / 1160psi Max
360L/H Max
1200W



Model: GL-C2-A

10Mpa Max / 100bar Max / 1450psi Max
360L/H Max
1400W



Model: GL-X1-B

6Mpa Max / 60bar Max / 870psi Max
300L/H Max
700W



High pressure pipe length optional



High pressure pipe length optional



One hand
Pressure gauge
Copper inlet

More data:

GL-C1-A

GL-C2-A

Rated Pressure:	5.5Mpa/55bar/798psi	6.5Mpa/65bar/943psi
Max influent pressure:	0.7Mpa/7bar/102psi	0.7Mpa/7bar/102psi
Max influent water temperature:	0°C~40°C	0°C~40°C
Rated Flow:	5L/Min	5L/Min
Motor type: String motor	Stator coil Material: Aluminum wire	Waterproof classification of machine: IPX5
Packing size reference:	• Long rod spray gun	• 5M Power code
With foam box, color box size:	• 5M.PVC High pressure hose	
Container loading: 20GP/40GP/40HQ:	32*32*49.5cm	
Out carton size:	576 Sets/1184 Sets /1295 Sets	
Container loading: 20GP/40GP/40HQ:	65.5*33.5*52CM (2 color boxes inside)	
With foam box, color box size:	384 Sets /864 Sets /1080 Sets	
Container loading: 20GP/40GP/40HQ:	29.5*25*47CM;	
With foam box, color box size:	855 Sets /1800 Sets /1960 Sets	
Container loading: 20GP/40GP/40HQ:	31*52*48CM (2 color boxes inside)	
With foam box, color box size:	664 Sets /1400 Sets /1520 Sets	

More data:

GL-X1-B

Rated Pressure:	3.5Mpa/35bar/508psi
Max influent pressure:	0.7Mpa/7bar/102psi
Max influent water temperature:	0°C~40°C
Rated Flow:	7L/Min
Motor type: Induction Motor	Stator coil Material: Aluminium wire/Copper wire
Packing size reference:	• Multi-funton short spray gun
With foam box, Carton box:	• 2M Water inlet
Container loading: 20GP/40GP/40HQ:	• 10M Built-in steel wire high pressure pipe
With foam box, Carton box:	• Spray gun extension rod
Container loading: 20GP/40GP/40HQ:	39 × 19.5 × 39cm
With foam box, Carton box:	990 Sets/1980 Sets/2130 Sets
Container loading: 20GP/40GP/40HQ:	• Multi-funton short spray gun
With foam box, Carton box:	• 3M Water inlet
Container loading: 20GP/40GP/40HQ:	• 15M Built-in steel wire high pressure pipe
With foam box, Carton box:	• Spray gun extension rod
Container loading: 20GP/40GP/40HQ:	39 × 19.5 × 50cm
Container loading: 20GP/40GP/40HQ:	720 Sets/1440 Sets/1650 Sets



High pressure pipe length optional



- One hand
- Pressure gauge
- Copper outlet
- Copper inlet
- Soft rubber base

Model: GL-X3-A

**7.5Mpa Max / 75bar Max / 1088psi Max
330L/H Max
1050W**


More data:

GL-X3-A

Rated Pressure:	5.2Mpa/52bar/754psi
Max influent pressure:	0.7Mpa/7bar/102psi
Max influent water temperature:	0°C~40°C
Rated Flow:	4.5L/Min
Motor type:	Induction Motor
Stator coil Material:	Aluminium wire/Copper wire
Waterproof classification of machine:	None
Packing size reference:	<ul style="list-style-type: none"> • Multi-funton short spray gun • 2M Water inlet • 10M Built-in steel wire high pressure pipe • Spray gun extension rod
With foam box, color box size:	39*22.5*33cm
Container loading: 20GP/40GP/40HQ:	1050 Sets/2100Sets /2396 Sets
Carton box:	41*24*40cm (with 1 color box)
Container loading: 20GP/40GP/40HQ:	630 Sets /1305 Sets /1711 Sets
	<ul style="list-style-type: none"> • Multi-funton short spray gun • 3M Water inlet • 15M Built-in steel wire high pressure pipe • Spray gun extension rod • Long traight brush
With foam box, color box size:	39*22.5*33cm
Container loading: 20GP/40GP/40HQ:	1050 Sets/2100 Sets/2396 Sets
Carton box:	41*24*50cm (with 1 color box)
Container loading: 20GP/40GP/40HQ:	560 Sets/1160 Sets/1305 Sets



High pressure pipe length optional



- One hand
- Pressure gauge
- Copper outlet
- Copper inlet
- Soft rubber base

Model: GL-X3-B

**7Mpa Max / 70bar Max / 1015psi Max
330L/H Max
1050W**

More data:

GL-X3-B

Rated Pressure:	4.5Mpa/45bar/653psi
Max influent pressure:	0.7Mpa/7bar/102psi
Max influent water temperature:	0°C~40°C
Rated Flow:	4.5L/Min
Motor type:	Induction Motor
Stator coil Material:	Aluminium wire/Copper wire
Waterproof classification of machine:	None
Packing size reference:	<ul style="list-style-type: none"> • Multi-funton short spray gun • 2M Water inlet • 10M Built-in steel wire high pressure pipe • Spray gun extension rod
With foam box, color box size:	39*22.5*33cm
Container loading: 20GP/40GP/40HQ:	1050 Sets/2100Sets /2396 Sets
Carton box:	41*24*40cm (with 1 color box)
Container loading: 20GP/40GP/40HQ:	630 Sets /1305 Sets /1711 Sets
	<ul style="list-style-type: none"> • Multi-funton short spray gun • 3M Water inlet • 15M Built-in steel wire high pressure pipe • Spray gun extension rod • Long traight brush
With foam box, color box size:	39*22.5*33cm
Container loading: 20GP/40GP/40HQ:	1050 Sets/2100 Sets/2396 Sets
Carton box:	41*24*50cm (with 1 color box)
Container loading: 20GP/40GP/40HQ:	560 Sets/1160 Sets/1305 Sets



High pressure pipe length optional



One hand

Copper inlet

Soft rubber base

Model: GL-X6-A

7Mpa Max / 70bar Max / 1015psi Max
330L/H Max
1200W

More data:

GL-X6-A

Rated Pressure:	5Mpa/50bar/725psi	
Max influent pressure:	0.7Mpa/7bar/102psi	
Max influent water temperature:	0°C~40°C	
Rated Flow:	4.5L/Min	
Motor type:	Induction Motor	Stator coil Material: Aluminium wire/Copper wire
		Waterproof classification of machine: None
Container loading reference:	<ul style="list-style-type: none"> ● Multi-funtion short spray gun ● 2M Power cord ● 2M Water inlet ● 10M Built-in steel wire high pressure pipe 	
Package:	2sets/CTN	
With foam box, Color box size:	43*23.5*35cm	
Carton box size:	49*45*37cm (with 2 color box and spare parts)	
Container loading: 20GP/40GP/40HQ:	720 Sets/1440 Sets/1728 Sets	

ODM project especially welcome.
Your dream, let's make it execution.



Contact Details

Felicia Zhu 朱银霞
Job Title VP 副总裁



QIANXI GROUP CO.,LTD

Add No.366 Kechuang Road, Yongkang city, Zhejiang Province, China

地 址 浙江省永康市科创路366号

Office Tel: +86-579-87153801 Cell Phone: +86-18969388588 WhatsApp: +86-13758970372

E-mail: felicia.zhu@qianxigroup.ltd SKYPE: felicia10298 Web site: www.qianxigroup.ltd

CareUAll
High Pressure Washer